			<u> </u>
Notice of Allowability	Application No.	Applicant(s)	
	10/736,180	BUYSSE ET AL.	
	Examiner	Art Unit	
	Roy D. Gibson	3739	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amendment filed 1/29/2007 and Interview of 2/16/2007</u> .			
2. The allowed claim(s) is/are <u>6,10,11,16 and 17</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	e 🗆 North de die		
1. Notice of References Cited (PTO-892)	5. Notice of Informal F		
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Da	te	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>1/29/2007</u> 	7. 🛭 Examiner's Amend	ment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowand	e
of Biological Material	9.		
		·	

Application/Control Number: 10/736,180

Art Unit: 3739

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edward Meagher on February 16, 2007.

The application has been amended as follows:

"Clam 12-16 (Canceled)" has been corrected to - - Claim 12-15 (Canceled) - -; claim 9 has been cancelled to prevent duplication of claim 16;

in claims 6, 16 and 17, in the last paragraph, in line 4, after "position" - - which together with the at least one stop member are configured to regulate and - - has been inserted.

Reasons for Allowance

Applicant's arguments filed 01/29/2007 on pages 7-12 are persuasive, especially the following:

Further, even assuming arguendo that Lottick and Cordis could be combined in a working fashion, this combination would still not teach Applicants' invention since no where is it taught, suggested or remotely contemplated to dispose the stop member adjacent the sealing surface "to regulate a working pressure between seal surfaces" to within a range of about 7 kg/cm 2 to about 13 kg/cm2 to effectively seal tissue.

Art Unit: 3739

In a telephone interview Edward Meagher on February 6, 2007, it was agreed to amend independent claims 6, 16 and 17 to include this limitation as detailed above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roy D. Gibson whose telephone number is 571-272-4767. The examiner can normally be reached on Tu-Th, 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on 571-272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Roy D. Gibson
Primary Examiner

Art Unit 3739